Review Article

An update on airborne contact dermatitis: 2001–2006

RAQUEL SANTOS¹ AND AN GOOSSENS²

¹Department of Dermatology, Hospital de Curry Cabral, P-1069-166 Lisboa, Portugal
and ²Department of Dermatology, University Hospital K.U. Leuven,
B-3000 Leuven, Belgium

Reports on airborne dermatoses are mainly published in the context of occupational settings. Hence, in recent years, dermatologists and also occupational physicians have become increasingly aware of the airborne source of contact dermatitis, resulting mainly from exposure to irritants or allergens. However, their occurrence is still underestimated, because reports often omit the term 'airborne' in relation to dust or volatile allergens. For the present update, we screened the journals 'Contact Dermatitis' (July 2000 to December 2006); 'Dermatitis', formerly named 'American Journal of Contact Dermatitis'; 'La Lettre du Gerda' (January 2000 to December 2006); and also included relevant articles from other journals published during the same period. This resulted in an updated list of airborne dermatitis causes.

Key words: airborne; allergic contact dermatitis; contact urticaria; irritant contact dermatitis; occupational; photo-allergic contact dermatitis. © Blackwell Munksgaard, 2007.

Accepted for publication 7 June 2007

Contact dermatitis is defined 'airborne' on the basis of: (i) the presence in the environment of dust, droplets, or volatile causative agents; (ii) the clinical symptoms; (iii) the history of the patient and the follow-up; and (iv) the results of epicutaneous tests.

The nature of airborne reactions can be various, among which irritant, allergic, photoallergic, photo-toxic, and contact urticarial, being the most common; some agents may induce more than 1 type of reaction and sometimes 1 dermatitis may mask another 1, such as for example, in the case of rosacea and airborne dermatitis in a farmer (1).

Reports on airborne dermatoses are mainly published in the context of occupational settings (2–8). Hence, in recent years, dermatologists and also occupational physicians have become increasingly aware of the airborne source of contact dermatitis, resulting mainly from exposure to irritants or allergens. Airborne contacts are still greatly underestimated although, because reports often omit this term in relation to dust or volatile allergens (9, 10). In some cases although, the responsible agents have been isolated by means of chemical analysis or direct microscopic study of the air or materials in the air (11). The different routes of exposition and relation to the clinical picture are sometimes misunderstood as well (12, 13).

The role of aeroallergens as a cause of allergic contact dermatitis or 'allergic contact dermatitis-like' atopic dermatitis is controversial. Occasionally, inhalation of pollens, dusts, and animal hair causes either flare-up of atopic dermatitis, or an apparent superimposed contact dermatitis; in some instances, the airborne allergens may produce positive patch-test reactions (i.e. with dermatophagoides, 14).

For the present update, we screened the Contact Dermatitis (July 2000 to December 2006); the Dermatitis, formerly named American Journal of Contact Dermatitis, and La Lettre du Gerda (January 2000 to December 2006); and also included relevant articles from other journals published during the same period. Table 1 gives the lists (that do not pretend to be exhaustive) with the airborne causes of dermatoses that we could retrieve. For previous reviews on this subject, we refer to Huygens and Goossens (2) and Lachapelle (10), the latter regarding irritant contact dermatitis.

Most of the allergens identified were in an occupational setting, if not the references are indicated with asterisk (Table 1). As in other recent reviews (2, 15, 16) plants represent a very important cause, particularly the Asteraceae (Compositae) family, for which recent advances in investigation of the clinical

Table 1. Causes of airborne dermatosis^a

	References
Allergic contact dermatitis	
Plants, natural resins, and wood allergens	
Ambrosia deltoidea (triangle-leaf bursage)	(22*)
Cashew nut (family Anacardiaceae)	(23*)
Chamomilla recutita (German chamomile)	(24*)
Champignon	(25)
Chrysanthemum	(26)
Colophonium	(27, 28, 29)
Compositae	(30*, 31*)
Evernia prunastri (oak moss)	(32)
Frullania	(33)
Gaillardia	(34)
Garlic	(35)
Humulus lupulus	(36)
Iris (lis)	(37)
Latex	(38)
Laurus nobilis	(39*)
Machaerium schleroxylon (Santos rosewood)	(40, 41)
Parthenium hysterophorus	(42*, 43*, 44*, 45*, 46*)
Picea abies (spruce)	(47)
Pinus sylvestris (Finish pine)	(47)
Primula obconica	(48, 49)
Propolis	(50, 51*, 52)
Pterocarpus soyauxii Taub (Padauk wood)	(53)
Rosmarinus officinalis	(54, 55)
Swartzia madagascariensis	(56)
Thymus vulgaris (Thyme)	(57)
Triplochiton scleroxylon (Obeche)	(58)
Tropical woods: Dalbergia retusa (Cocobolo wood)	(40, 59)
Verbascum densiflorum (gordolobo)	(60)
Plastics, rubbers, and glues	
Acrylates	(61–64)
Benzoyl peroxide	(65, 66)
Epoxy acrylates	(67)
Epoxy resin (and amines)	(68, 69–82)
Formaldehyde and formaldehyde resins	(83, 84)
Isocyanates	(85, 86*, 87, 88, 89)
Metals	
Cobalt	(90)
Mercury	(91, 92)
Nickel	(93, 94)
Silver	(28)
Industrial and pharmaceutical chemicals	
2-Aminothiophenol	(95)
p-Aminophenol	(96)
Azathioprine	(97*)
Azithromycin	(98, 99)
n-Alkyl dimethylbenzylammonium chloride	(100)
N,N-bis[2-bromo-ethyl] aniline	(101)
Budesonide	(102)
2-Butin-1,4-diol	(103)
Ceftiofur	(104)
Cyanamide and dibenzyl phosphite	(105)
Cinnamal (cinnamic aldehyde)	(106)
Chloroacetamide	(107*)
Diacetylmorphine	(108, 109)
Diethylene glycol monobutyl ether	(110)
Ethacridine lactate	(111)
Formaldehyde and releasers (quaternium -15)	(112)
Glutaraldehyde	(113)
HBTU (o-(benzotriazol-1-yl)-N,N,N',N'-tetramethyluronium)	(114)
3-Iodo-2-propynyl-butylcarbamate	(115)
Isothiazolinones	(116–118, 119*) (Fig. 1)
Lansoprazole	(120, 121)
Meropenem	(122)
Mesna	(123)
Methotrexate	(124)

Table 1. Continued

	References
Methyl chloroform	(125)
(<i>N</i> -methyl- <i>N</i> -nitroso- <i>p</i> -toluenesulfonamide) Diazald	(126)
Oxycodone	(127)
Paraphenylenediamine	(128)
Pristinamycin	(129)
Quinazoline oxide	(130)
Ranitidine	(131)
Simvastatin	(132)
Tetrazepam	(133, 134, 135)
Succinimidyl carbonates	(136)
Pesticides and animal feed additives	
Acephate	(137*)
1,3-Dichloropropene	(138)
Olaquinox	(139)
Organophosphorus pesticides	(140*)
Phoxim	(141*)
Pigs' feed	(142)
Propineb	(143)
Miscellaneous	
Agricultural dusts (storage mites, flax allergens, <i>Pantoea</i> agglomerans, and moulds)	(5)
Cigarettes	(144*)
Disperse dyes	(145)
FAZ-exhaust Kodak (polyethylene terephthalate, polyvinyl butyral, and silver)	(146)
Irritant contact dermatitis	
Dermatitis in a particleboard manufacturing facility	(147)
Phosphates in a fertilizer factory	(148)
Synthetic fibres from an air-conditioning filter	(149)
Chlorothalonil	(150)
Photoallergic reactions	
Carprofen	(151)
Chlorpromazine	(152)
Contact urticaria	
Amoxicillin	(153)
Curcumin	(154)
Epoxy resin	(155)
HATU and HBTU	(156, 157)
Hyacinth	(158)
Pine processionary caterpillar (<i>Thaumetopoea pityocampa</i>)	(159–164)
Spathiphyllum wall-isii flower	(165, 166)
Weeping fig (<i>Ficus benjamina</i>)	
Yucca (<i>Yucca aloifolia</i>)	
Contact urticaria syndrome	
Anisakis simplex	(167, 168)
Compositae	(169)
Diphenylmethane-4,4'-diisocyanate	(170)
Fern	(171)
Goat dander	(172)
Protease	(173)
Lupine flour	(174)
Triphenyl phosphite	(175)
Protein contact dermatitis	
Flour	(176)
Sapele wood	(177)
Erythema-multiforme-like eruption	
1,2-Ethanedithiol	(178)
Japanese lacquer tree (<i>Rhus verniciflua</i>)	(179)
Weeds	(180)

^aReferences with asterisk (*) represent non-occupational setting. HATU, *N*-[(dimethylamine)-1*H*-1,2,3-triazolo[4,5-*b*]pyridine-1-yl-methylene]-*N*-methyl-methanaminium hexafluorophosphate *N*-oxide; HBTU, *N*-[(1*H*-benzotriazol-1-yl)(dimethylamino)methylene]-*N*-methylmethanaminium heafluorophosphat *N*-oxide) and 9-f.

signs, diagnosis, and therapy have been published (17, 18*, 19*, 20, 21). Although mono- and sesquiterpene-lactones, contained in Asteraceae, are by far the most frequently described airborne allergens in weed dermatitis, many other plant and wood aller-

gens remain unidentified. The principal sensitizers although include phenols (Anacardiaceae), quinones (Tectona, rosewood), and terpenes (Frullania, Pinus).

Although airborne irritants are more difficult to demonstrate, they are certainly more common

Fig. 1. Severe allergic contact dermatitis from airborne exposure to methyl- and methylchloro-isothiazolinone in freshly-painted walls.

than allergic reactions (10). They include fibrous materials (such as glass fibres, rock wool, and grain dust), which give rise to mechanical dermatitis by friction, inducing both hyperkeratosis and acute dermatitis; wood and cement dust, which cause irritant reaction with lichenified dermatitis at the contact sites.

Conclusion

This survey provides an updated list of airborne causes of dermatoses, most often occupation-induced. Irritant and allergic dermatitis are the most common, but some causes of photoallergic reactions, the contact urticaria (syndrome), protein contact dermatitis, and erythema-multiforme-like eruptions have also been retrieved. The causes are multiple: plants, natural resins, and wood allergens; plastics, rubbers, and glues; metals; industrial and pharmaceutical chemicals; pesticides and animal feed additives, enzymes, and animal dander.

References

1. Spiewak R, Dutkiewicz J A. Farmer's occupational airborne contact dermatitis masqueraded by coexisting rosacea: delayed diagnosis and legal acknowledgement. *Ann Agric Environ Med* 2004; 11: 329–333.
2. Huygens S, Goossens A. An update on airborne contact dermatitis. *Contact Dermatitis* 2001; 44: 1–6.
3. Estlander T, Jolanki R, Alanko K, Kanerva L. Occupational allergic contact dermatitis caused by wood dusts. *Contact Dermatitis* 2001; 44: 213–217.
4. Gielen K, Goossens A. Occupational allergic contact dermatitis from drugs in healthcare workers. *Contact Dermatitis* 2001; 45: 273–279.

5. Li L, Sujan S A, Wang J. Detection of occupational allergic contact dermatitis by patch testing. *Contact Dermatitis* 2003; 49: 189–193.
6. Schmutz J-L, Barbaud A, Trechot P. Allergies de contact professionnelles et substances à visée thérapeutique. *Ann Dermatol Venerol* 2003; 130: 583.
7. Leggat P A, Smith D R. Dermatitis and aircrew. *Contact Dermatitis* 2006; 54: 1–4.
8. Quirce S, Escudero C, Swanson M C, Martínez-Aramayona M J, Fernández-Nieto M, Sastre J. Latex aeroallergen concentrations in ambulances. *J Allergy Clin Immunol* 2004; 114: 978.
9. Chew A L, Maibach H I. Occupational issues of irritant contact dermatitis. *Int Arch Occup Environ Health* 2003; 76: 339–346.
10. Lachapelle J M. Airborne irritant dermatitis. In: *Irritant Dermatitis*, Chew A L, Maibach H I (eds). Berlin, Springer, 2006: 71–78.
11. Reinhard E, Waeber R, Niederer M, Maurer T, Maly P, Scherer S. Preservation of products with MCI/MI in Switzerland. *Contact Dermatitis* 2001; 45: 257–264.
12. Elberling J, Linneberg A, Mosbech H, Dirksen A, Frølund L, Madsen F, Nielsen N H, Johansen J D. A link between skin and airways regarding sensitivity to fragrance products? *Br J Dermatol* 2004; 151: 1197–1203.
13. Elberling J, Linneberg A, Mosbech H et al. Airborne chemicals cause respiratory symptoms in individuals with contact allergy. *Contact Dermatitis* 2005; 52: 65–72.
14. Davis M D, Richardson D M, Ahmed D D. Rate of patch test reactions to a Dermatophagoides mix currently on the market: a mite too sensitive? *Am J Contact Dermat* 2002; 13: 71–73.
15. Komericki P, Abere R W, Kranke B. An 8-year experience in air-borne contact dermatitis. *Wien Klin Wochenschr* 2004; 116: 322–325.
16. Proietti L, Bonanno G, Vasta N, Augeri M, Marconi A, Stivala F. Airborne Contact Dermatitis. *Clin Ter* 2006; 157: 531–539.
17. Sharma V K. Patch testing with the European standard series and Compositae extracts in patients with airborne contact dermatitis. *Contact Dermatitis* 2001; 44: 41–42.
18. Handa S, Sahoo B, Sharma V K. Oral hyposensitization in patients with contact dermatitis from Parthenium hysterophorus. *Contact Dermatitis* 2001; 44: 279–282.
19. Paulsen E, Christensen L P, Andersen K E. Do monoterpenes released from feverfew (*Tanacetum parthenium*) plants cause airborne Compositae dermatitis? *Contact Dermatitis* 2002; 47: 14–18.
20. Sharma V K, Sethuraman G, Tejasvi T. Comparison of patch test contact sensitivity to acetone and aqueous extracts of Parthenium hysterophorus in patients with airborne contact dermatitis. *Contact Dermatitis* 2004; 50: 230–232.
21. Sharma V K, Sethuraman G, Bhat R. Evolution of clinical pattern of parthenium dermatitis: a study of 74 cases. *Contact Dermatitis* 2005; 53: 84–88.
22. Schumacher M J, Silvis N G. Airborne contact dermatitis from Ambrosia deltoidea (triangle-leaf bursage). *Contact Dermatitis* 2003; 48: 212–216.
23. Criado R F, Criado P R, Malaman F, Ensina L F, Vasconcellos C, Aun W T, Mello J F, Pires M C. Non-occupational allergic contact dermatitis to cashew nut simulating photosensitivity eczema. *Am J Contact Dermat* 2002; 13: 85–86.
24. Rycroft R J G. Recurrent facial dermatitis from chamomile tea. *Contact Dermatitis* 2003; 48: 229.
25. Simeoni S, Puccetti A, Peterlana D, Tinazzi E, Lunardi C. Occupational allergic contact dermatitis from champignon and Polish mushroom. *Contact Dermatitis* 2004; 51: 156–157.
26. Groenewoud G C M, Jong N W, Burdorf A, de Groot H, Gerth van Wijk R. Prevalence of occupational allergy to

- Chrysanthemum pollen in greenhouses in the Netherlands. *Allergy* 2002; 57: 835–840.
27. Álvarez-Cuesta C C, López F V, Aguado C R, López M A G, Oliva N P. Allergic contact dermatitis from colophonium in the sawdust of Asturian cider-bars. *Contact Dermatitis* 2001; 45: 57.
 28. Agarwal S, Gawkrödger D J. Occupational allergic contact dermatitis to silver and colophonium in a jeweller. *Am J Contact Dermat* 2002; 13: 74.
 29. Corazza M, Borghi A, Virgili A. A medicolegal controversy due to a hidden allergen in cutting oils. *Contact Dermatitis* 2004; 50: 254–255.
 30. Fortina A B, Romano I, Peserico A. Contact sensitization to Compositae mix in children. *J Am Acad Dermatol* 2005; 53: 877–880.
 31. Killoran C, Pedvig-Leftick A, Williams R. A case of compositae airborne dermatitis exacerbated by moisturizer containing feverfew. *Dermatitis* 2006; 17: 104.
 32. Owen C M, August P J, Beck M H. Contact allergy to oak moss resin in a soluble oil. *Contact Dermatitis* 2000; 43: 112.
 33. Julian C G, Bowers P W, Paton J A. Frullania dermatitis. *Contact Dermatitis* 2000; 43: 119–120.
 34. Foin N G. Sensibilisation de contact a une Asteracée: La Gaillarde. *La Lettre du Gerda* 2005; 19: 25–28.
 35. Bassioukas K, Orton D, Cerio R. Occupational airborne allergic contact dermatitis from garlic with concurrent Type I allergy. *Contact Dermatitis* 2004; 50: 39–41.
 36. Spiewak R, Dutkiewicz J. Occupational airborne and hand dermatitis to hop (*Humulus lupulus*) with non-occupational relapses. *Ann Agric Environ Med* 2002; 9: 249–252.
 37. Dejobert Y. Allergie à l'iris. *La lettre du Gerda* 2001; 18: 38–39.
 38. Nettis E, Colanardi M C, Ferrannini A, Tursi A. Airborne allergic contact dermatitis. *Allergy* 2001; 56: 583–584.
 39. Özden M G, Öztaş P, Öztaş M O, Önder M. Allergic contact dermatitis from *Laurus nobilis* (laurel) oil. *Contact Dermatitis* 2001; 45: 178.
 40. Correale C E, Marks J G Jr. Contact dermatitis in a woodworker. *Am J Contact Dermat* 2002; 13: 42–44.
 41. Wong Y W, Powell S M. Contact dermatitis in a bagpipes maker. *Contact Dermatitis* 2003; 49: 310.
 42. Sahoo B, Handa S, Kumar B. Eczema herpeticum in parthenium dermatitis. *Contact Dermatitis* 2001; 44: 106–107.
 43. Verma K K, Sirka C S, Ramam M, Sharma V K. Parthenium dermatitis presenting as photosensitive lichenoid eruption. A new clinical variant. *Contact Dermatitis* 2002; 46: 286–289.
 44. Mahajan V K, Sharma N L, Sharma R C. Parthenium dermatitis: is it a systemic contact dermatitis or an airborne contact dermatitis? *Contact Dermatitis* 2004; 51: 231–234.
 45. Prabhakar A C, Dogra S, Handa S. Eczema herpeticum complicating parthenium dermatitis. *Am J Contact Dermat* 2005; 16: 78–79.
 46. Singh M N, Beck M H. Parthenium contact sensitivity travels to the U.K. *Br J Dermatol* 2006; 155: 847–848.
 47. Majamaa H, Viljanen P. Occupational facial allergic contact dermatitis caused by Finnish pine and spruce wood dusts. *Contact Dermatitis* 2004; 51: 157–158.
 48. Aplin C G, Lovell C R. Contact dermatitis due to hardy primula species and their cultivars. *Contact Dermatitis* 2001; 44: 23–29.
 49. de Miguel J, Quirce S, Escudero C, de las Heras M, Cuesta J, Sastre J. Occupational airborne allergic contact dermatitis from *Primula obconica*. *Allergy* 2002; 57: 305.
 50. Lieberman H D, Fogelman J P, Ramsay D L, Cohen D E. Allergic contact dermatitis to propolis in a violin maker. *J Am Acad Dermatol* 2002; 46: S30–S31.
 51. Tobin A, Kirby B. Airborne contact dermatitis induced by a neighbour's beehives. *Contact Dermatitis* 2003; 49: 214–215.
 52. Fernandez S G, Alemán E A, Figueroa B E G, Estibaliz G F, Rivera J M O, Purroy A I T. Direct and airborne contact dermatitis from propolis in beekeepers. *Contact Dermatitis* 2004; 50: 320–321.
 53. Kiec-Swirczynska M, Krecisz B, Swirczynska-Machura D, Palczynski C. Occupational allergic contact dermatitis caused by padauk wood (*Pterocarpus soyauxii* Taub.). *Contact Dermatitis* 2004; 50: 384–385.
 54. Serra E, Vila A, Peramiquel L, Dalmau J, Granel C, Alomar A. Allergic contact dermatitis due to rosemary. *Contact Dermatitis* 2005; 53: 179–180.
 55. González-Mahave I, Lobesa T, Del Pozo M D, Blasco A, Venturini M. Rosemary contact dermatitis and cross-reactivity with other labiate plants. *Contact Dermatitis* 2006; 54: 210–212.
 56. Almeida Pereira M, Barros A M, Cunha A P, Lisboa C, Azevedo F. Airborne allergic contact dermatitis from *Swartzia madagascariensis*. *Contact Dermatitis* 2006; 55: 33.
 57. Spiewak R, Skorska C, Dutkiewicz J. Occupational airborne contact dermatitis caused by thyme dust. *Contact Dermatitis* 2001; 44: 235–239.
 58. Kanerva L, Leino T, Estlander T. Occupational allergic contact dermatitis in carpenters. *Contact Dermatitis* 2001; 45: 61–62.
 59. Guanche A D, Prawer S. Generalized eczematous contact dermatitis from cocobolo wood. *Am J Contact Dermat* 2003; 14: 90.
 60. Castro A I, Carmona J B, Gonzales F G, Nestar O B. Occupational airborne dermatitis from gordolobo (*Verbascum densiflorum*). *Contact Dermatitis* 2006; 55: 301.
 61. Bong J L, English J S C. Allergic contact dermatitis from airborne exposure to acrylates. *Contact Dermatitis* 2000; 43: 242.
 62. Geukens S, Goossens A. Occupational contact allergy to (meth)acrylates. *Contact Dermatitis* 2001; 44: 153–159.
 63. Moffitt D L, Sansom J E. Occupational allergic contact dermatitis from tetrahydrofurfuryl acrylate in a medical-device adhesive. *Contact Dermatitis* 2001; 45: 54–55.
 64. Hickey J R, Sansom J E. Allergic contact dermatitis following airborne exposure to methacrylates used in the manufacture of artificial skin. *Contact Dermatitis* 2003; 49: 221.
 65. Forschner K, Zuberbier T, Worm M. Benzoyl peroxide as a cause of airborne contact dermatitis in an orthopaedic technician. *Contact Dermatitis* 2002; 47: 241.
 66. Tsovilis E, Crépy M, Jonathan A, Ameille J. Occupational contact dermatitis due to a marbler's exposure to benzoyl peroxide. *Contact Dermatitis* 2005; 52: 117–118.
 67. Kanerva L, Estlander T, Jolanki R, Alanko K. Occupational allergic contact dermatitis from 2,2-bis(4-(2-hydroxy-3-acryloxypropoxy)phenyl)-propane (epoxy diacrylate) in ultraviolet-cured inks. *Contact Dermatitis* 2000; 43: 56–59.
 68. Sasseville D, Moreau L, Brassard J, Leclerc G. Allergic contact dermatitis to epoxy resin in microscopy immersion oil: Cases from Canada. *Am J Contact Dermat* 2000; 11: 99–103.
 69. Ahmed I, Ilchysyn A. Immersion oil allergy with no reaction to epoxy resin in the standard series. *Contact Dermatitis* 2000; 43: 125–126.
 70. el-Azhary R A, Yiannias J A. Allergic contact dermatitis to epoxy resin in immersion oil for light microscopy. *J Am Acad Dermatol* 2002; 47: 954–955.
 71. Kanerva L, Estlander T, Keskinen H, Jolanki R. Occupational allergic airborne contact dermatitis and delayed bronchial asthma from epoxy resin revealed by bronchial provocation test. *Eur J Dermatol* 2000; 10: 475–477.
 72. Kanerva L, Jolanki R, Estlander T, Henriks-Eckerman M, Tuomi M, Tarvainen K. Airborne occupational allergic contact dermatitis from triglycidyl-p-aminophenol and tetraglycidyl-4,4'-methylene dianiline in preimpregnated epoxy products in the aircraft industry. *Dermatology* 2000; 201: 29–33.
 73. Jappe U, Geier J, Hausen B M. Contact vitiligo following a strong patch test reaction to triglycidyl-p-aminophenol in

- an aircraft industry worker: case report and review of the literature. *Contact Dermatitis* 2005; 53: 89–92.
74. Ducombs G. Dermites de contact provoquées par les fibres de carbone et résins époxi. *La Lettre du Gerda* 2000; 17: 14.
 75. Acciai M C, Sertoli A, Gola M, Vanni E, Calabretta V M, Carnevalli C. Dermatite allergica da contatto professionale da fibra di carbonio trattate con resine epossidiche. *Annali italiani di dermatologia allergologica* 2006; 60: 62–64.
 76. Koch P. Occupational allergic contact dermatitis from epoxy resin systems and possibly acetone in a shoemaker. *Contact Dermatitis* 2002; 46: 362–363.
 77. Machado S, Silva E, Sanches M, Massa A. Occupational airborne contact dermatitis. *Am J Contact Dermat* 2003; 14: 31–32.
 78. Katugampola R P, Mills C M, Stone N M. Occupational allergic contact dermatitis to epoxy resin in a gravestone repairer. *Contact Dermatitis* 2006; 55: 194.
 79. Yokota K, Michitsuji H. Occupational allergic contact dermatitis from 1,6-bis (2,3-epoxypropoxy) naphthalene in a one-component epoxy coating. *Contact Dermatitis* 2004; 51: 154–155.
 80. Kirkup M E, Murphy J, Beck M H, Sansom J E. Occupational contact sensitization to 1,2-diaminocyclohexane. *Contact Dermatitis* 2001; 45: 121–122.
 81. Geier J, Oestmann E, Lessmann H, Fuchs T. Contact allergy to terephthalic acid diglycidylester in a powder coating. *Contact Dermatitis* 2001; 44: 35–36.
 82. Guin J D. Airborne contact dermatitis from a polymercap-tan hardener in a finished epoxy resin. *Contact Dermatitis* 2005; 52: 45.
 83. Ezughah F I, Murdoch S R, Finch T M. Occupational airborne allergic contact dermatitis from medium-density fibreboard containing phenol-formaldehyde resin-2 (PFR-2). *Contact Dermatitis* 2001; 45: 242.
 84. Bell H K, King C M. Allergic contact dermatitis from urea-formaldehyde resin in medium-density fibreboard (MDF). *Contact Dermatitis* 2002; 46: 247.
 85. Goossens A, Detienne T, Bruze M. Occupational allergic contact dermatitis caused by isocyanates. *Contact Dermatitis* 2002; 47: 304–308.
 86. Morgan C J, Haworth A E. Allergic contact dermatitis from 1,6-hexamethylene diisocyanate in a domestic setting. *Contact Dermatitis* 2003; 48: 224.
 87. Millitello G, Sasseville D, Ditrec C, Brod B A. Allergic contact dermatitis from isocyanates among sculptors. *Dermatitis* 2004; 15: 150–153.
 88. White J M L, White I R. Allergic contact dermatitis from dicyclohexylmethane-4,4'-diisocyanate: two cases. *Br J Dermatol* 2005; 153: 58–59.
 89. Hannu T, Estlander T, Jolanki R. Allergic contact dermatitis due to MDI and MDA from accidental occupational exposure. *Contact Dermatitis* 2005; 52: 108–109.
 90. Dickel H, Radulescu M, Weyher I, Diepgen T L. Occupationally-induced "isolated cobalt sensitization". *Contact Dermatitis* 2001; 45: 246–247.
 91. Bartolome B, Cordoba S, Sanchez-Perez J, Fernandez-Herrera J, Garcia-Diez A. Baboon syndrome of unusual origin. *Contact Dermatitis* 2000; 43: 113.
 92. Suzuki K, Matsunaga K, Umemura Y, Ueda H, Sasaki K. 2 cases of occupational dermatitis due to mercury vapor from a broken sphygmomanometer. *Contact Dermatitis* 2000; 43: 175–177.
 93. Candura S M, Locatelli C, Butera R, Gatti A, Fasola D, Manzo L. Widespread nickel dermatitis from inhalation. *Contact Dermatitis* 2001; 45: 174–175.
 94. Sertoli A, D'Aglino S, Parrini L, Carnevalli C, Vanni E. A non common cause of occupational sensitivity to nickel. *Annali italiani di Dermatologia alergologica* 2005; 59: 125.
 95. Bonamonte D, Carino M, Mundo L, Foti C. Occupational airborne allergic contact dermatitis from 2-aminothiophenol. *Eur J Dermatol* 2002; 12: 592–593.
 96. Walker S L, Ead R D, Shackleton D B, Beck M H. Two cases of occupational allergic contact dermatitis to p-aminophenol in pharmaceutical workers manufacturing paracetamol. *Contact Dermatitis* 2005; 52: 290–291.
 97. Lauerma A I, Koivuluhta M, Alenius H. Recalcitrant allergic contact dermatitis from azathioprine tablets. *Contact Dermatitis* 2001; 44: 129.
 98. Milković-Kraus S, Kanceljak-Macan B. Occupational airborne allergic contact dermatitis from azithromycin. *Contact Dermatitis* 2001; 45: 184.
 99. Mimesh S, Pratt M. Occupational airborne allergic contact dermatitis from azithromycin. *Contact Dermatitis* 2004; 51: 151.
 100. Mauleón C, Mauleón P, Chavarria E, La Cueva P, Suárez R, Lázaro P. Airborne contact dermatitis from n-alkyl dimethylbenzylammonium chloride and n-alkyl dimethylethylbenzylammonium chloride in a detergent. *Contact Dermatitis* 2006; 55: 311–312.
 101. Verlinden V, Goossens A. Airborne occupational allergic contact dermatitis from N,N-bis[2-bromo-ethyl] aniline and N,N-bis [2-[(methylsulfonyl)-oxy]ethyl]aniline in a chemistry student. *Contact Dermatitis* 2003; 49: 169.
 102. Pontén A. Airborne occupational contact dermatitis caused by extremely low concentrations of budesonide. *Contact Dermatitis* 2006; 55: 121–124.
 103. Blaschke V, Reinecke S, Fuchs T. Allergic contact dermatitis from 2-butan-1,4-diol. *Allergy* 2001; 56: 264–265.
 104. Antico A, Marcotulli C. Occupational contact allergy to ceftiofur. A case of extensive dermatitis for occupational contact allergy to ceftiofur (without cross-reactivity to other cephalosporins) is reported. *Allergy* 2003; 58: 957–958.
 105. Foti C, Bonamonte D, Carino M, Mastrandrea V, Angelini G. Occupational airborne contact allergy to cyanamide and dibenzyl phosphite. *Contact Dermatitis* 2003; 48: 272–273.
 106. Decapite T J, Anderson B E. Allergic contact dermatitis from cinnamic aldehyde found in an industrial odour-masking agent. *Contact Dermatitis* 2004; 51: 312–313.
 107. Bogenrieder T, Landthaler M, Stolz W. Airborne contact dermatitis due to chloroacetamide in wall paint. *Contact Dermatitis* 2001; 45: 55.
 108. Coenraads P J, Hogen Esch A J, Prevoo R L M A. Occupational contact dermatitis from diacetylmorphine (heroin). *Contact Dermatitis* 2001; 45: 114.
 109. Hogen Esch A J, van der Heide S, van den Brink W, van Ree J M, Bruynzeel D P, Coenraads P J. Contact allergy and respiratory/mucosal complaints from heroin (diacetylmorphine). *Contact Dermatitis* 2006; 54: 42–49.
 110. Schliemann-Willers S, Bavar A, Elsner P. Occupational contact dermatitis from diethylene glycol monobutyl ether in a podiatrist. *Contact Dermatitis* 2000; 43: 225.
 111. Rudzki E, Rebandel P. Airborne contact dermatitis due to ethacridine lactate in a veterinary surgeon. *Contact Dermatitis* 2001; 45: 234.
 112. Zina A M, Fanan E, Bundino S. Allergic contact dermatitis from formaldehyde and quaternium-15 in a photocopier toner. *Contact Dermatitis* 2000; 43: 241–242.
 113. Vyas A, Pickering C A, Oldham L A, Francis H C, Fletcher A M, Merrett T, Niven R M. Survey of symptoms, respiratory function, and immunology and their relation to glutaraldehyde and other occupational exposures among endoscopy nursing staff. *Occup Environ Med* 2000; 57: 752–759.
 114. Bousquet P-J, Guillot B, Guilhaud J-J, Raison-Peyron N. Occupational airborne allergic contact dermatitis due to HBTU. *Contact Dermatitis* 2005; 52: 53–54.
 115. Jensen C D, Thormann J, Andersen K E. Airborne allergic contact dermatitis from 3-iodo-2-propynyl-butylcarbamate at a paint factory. *Contact Dermatitis* 2003; 48: 155–157.
 116. Kristensen D, Hein H O, Weismann K. Airborne contact allergy provoked by kathon in water-based plastic paint. *Ugeskr Laeger* 2002; 164: 2411–2413.

117. Young H S, Ferguson J E F, Beck M H. Contact dermatitis from 2-n-octyl-4-isothiazolin-3-one in a PhD student. *Contact Dermatitis* 2004; 50: 47–48.
118. Hardcastle N J, Gawkrödger D J. Occupational contact dermatitis to 1,2-benzisothiazolin-3-one and 5-chloro-2-methylisothiazolin-3-one/2-methyl-isothiazolin-3-one in paint manufacturers. *Contact Dermatitis* 2005; 53: 115–116.
119. Jensen J-M, Harde V, Brasch J. Airborne contact dermatitis to methylchloroisothiazolinone/methylisothiazolinone in a boy. *Contact Dermatitis* 2006; 55: 311.
120. Vilaplana J, Romaguera C. Allergic contact dermatitis due to lansoprazole, a proton pump inhibitor. *Contact Dermatitis* 2001; 44: 39–40.
121. Schena D, Germi L, Barba A, Costa G. Epidemic occupational allergic and irritant airborne contact dermatitis in pharmaceutical manufacture producing lansoprazole. *Contact Dermatitis* 2002; 46: 31.
122. Yesudian P D, King C M. Occupational allergic contact dermatitis from meropenem. *Contact Dermatitis* 2001; 45: 53.
123. Kiec-Swierczynska M, Krecisz B. Occupational airborne allergic contact dermatitis from mesna. *Contact Dermatitis* 2003; 48: 171.
124. Dastyčová E. Allergic contact dermatitis in methotrexate manufacture. *Contact Dermatitis* 2003; 48: 226.
125. Mallon J, Chu M T, Maibach H I. Occupational allergic contact dermatitis from methyl chloroform (1,1,1-trichloroethane)? *Contact Dermatitis* 2001; 45: 107.
126. Young H S, Wilson N J E, Winter J, Beck M H. Contact dermatitis from Diazald. *Contact Dermatitis* 2004; 50: 315–316.
127. MacFarlane C S, Charman C, Fertig A, English J S C. An outbreak of contact dermatitis in an opiate manufacturing plant. *Br J Dermatol* 2003; 149: 95.
128. Dyche J A, Goldsmith P C. Case report of occupational sensitization to p-phenylenediamine in a microbiology laboratory. *Br J Dermatol* 2003; 149: 96.
129. Blancas-Espinosa R, Conde-Salazar L, Pérez-Hortet C. Occupational airborne contact dermatitis from pristinamycin. *Contact Dermatitis* 2006; 54: 63–65.
130. Rudzki E, Rebandel P. Contact sensitivity to quinazoline oxide. *Contact Dermatitis* 2001; 44: 49–50.
131. Ryan P J J, Rycroft R J G, Aston I R. Allergic contact dermatitis from occupational exposure to ranitidine hydrochloride. *Contact Dermatitis* 2003; 48: 67–68.
132. Peramiqel L, Serra E, Dalmau J, Vila A T, Mascaró J M, Alomar A. Occupational contact dermatitis from simvastatin. *Contact Dermatitis* 2005; 52: 286–287.
133. Choquet-Kastylevsky G, Testud F, Chalmet P, Lecuyer-Kudela S, Descotes J. Occupational contact allergy to tetrazepam. *Contact Dermatitis* 2001; 44: 372.
134. Lepp U, Zabel P, Greinert U. Occupational airborne contact allergy to tetrazepam. *Contact Dermatitis* 2003; 49: 260–261.
135. Ferran M, Giménez-Arnau A, Luque S, Berenguer N, Iglesias M, Pujol R M. Occupational airborne contact dermatitis from sporadic exposure to tetrazepam during machine maintenance. *Contact Dermatitis* 2005; 52: 173–174.
136. Fowler J F Jr, Edge J C. Occupational airborne allergic contact dermatitis from succinimidyl carbonates. *Contact Dermatitis* 2001; 45: 38.
137. Nakamura M, Miyachi Y. Airborne contact dermatitis caused by the pesticide acephate. *Contact Dermatitis* 2002; 47: 121–122.
138. Corazza M, Zinna G, Virgili A. Allergic contact dermatitis due to 1,3-dichloropropene soil fumigant. *Contact Dermatitis* 2003; 48: 341–342.
139. Sánchez-Pérez J, López M P, García-Díez A. Airborne allergic contact dermatitis from olaquinox in a rabbit breeder. *Contact Dermatitis* 2002; 46: 185.
140. Bonamonte D, Foti C, Cassano N, Rigano L, Angelini G. Contact dermatitis from organophosphorus pesticides. *Contact Dermatitis* 2001; 44: 179–180.
141. Nakamura M, Miyachi Y. Airborne photocontact dermatitis due to the insecticide phoxim. *Contact Dermatitis* 2003; 49: 105–106.
142. Uchino Y. A case of contact dermatitis due to feed for pig. *Environ Dermatol (Japan)* 2003; 10: 83.
143. Nishioka K, Takahata H. Contact allergy due to propineb. *Contact Dermatitis* 2000; 43: 310.
144. Kato A, Shoji A, Aoki N. Contact sensitivity to cigarettes. *Contact Dermatitis* 2005; 53: 52–53.
145. Anibarro P C, Brenosa B G, Madoz S E, Figueroa B E G, Muruzabal M T A, Bacalco M T L, Sanchez N L, Purroy A I T. Occupational airborne allergic contact dermatitis from disperse dyes. *Contact Dermatitis* 2000; 43: 44.
146. Marty C L, Cheng J F. Granuloma annulare presenting as contact dermatitis. *Dermatitis* 2005; 16: 34–37.
147. Saary M J, House R A, Holness D L. Dermatitis in a particleboard manufacturing facility. *Contact Dermatitis* 2001; 44: 325–330.
148. Lazarov A, Yair M, Lael E, Baitelman L. Airborne irritant contact dermatitis from phosphates in a fertilizer factory. *Contact Dermatitis* 2002; 46: 53–54.
149. Patiwaal J A, Wintzen M, Rustemeyer T, Bruynzeel D P. Airborne irritant contact dermatitis due to synthetic fibres from an air-conditioning filter. *Contact Dermatitis* 2005; 52: 126–129.
150. Lensen G J, Jungbauer F H W, Goncalo M, Coenraads P J. Chlorothalonil: outbreak of airborne occupational irritant facial contact dermatitis. *Contact Dermatitis* 2006; 55: 17.
151. Walker S L, Ead R D, Beck M H. Occupational photoallergic contact dermatitis in a pharmaceutical worker manufacturing carprofen, a canine nonsteroidal anti-inflammatory drug. *Br J Dermatol* 2005; 153: 58.
152. Lotti L, Difonzo E M, Francalanci S. Photoallergic contact dermatitis with chlorpromazine: report of two cases. *Contact Dermatitis* 2006; 55: 47.
153. Condé-Salazar L, Guimaraens D, González M A, Mancebo E. Occupational allergic contact urticaria from amoxicillin. *Contact Dermatitis* 2001; 45: 109.
154. Liddle M, Hull C, Liu C, Powell D. Contact urticaria from curcumin. *Dermatitis* 2006; 17: 196–197.
155. Kanerva L, Pelttari M, Jolanki R, Alanko K, Estlander T, Suhonen R. Occupational contact urticaria from diglycidyl ether of bisphenol A epoxy resin. *Allergy* 2002; 57: 1205–1207.
156. Yung A, Papworth-Smith J, Wilkinson S M. Occupational contact urticaria from the solid-phase peptide synthesis coupling agents HATU and HBTU. *Contact Dermatitis* 2003; 49: 108–109.
157. Alanko K, Hannu T, Kuuliala O, Keskinen H. Allergic contact urticaria and anaphylaxis from occupational airborne exposure to HBTU. *Exog Dermatol* 2004; 3: 193.
158. Baur X, Gahnz G. Berufsbedingte aerogene Kontakurtikaria auf Hyazinthen. *Dermatosen in Beruf und Umwelt* 2002; 50: 238–240.
159. Vega J M, Moneo I, Armentia A, Vega J, de la Fuente R, Fernández A. Pine processionary caterpillar as a new cause of immunologic contact urticaria. *Contact Dermatitis* 2000; 43: 129–132.
160. Maier H, Spiegel W, Kinacian T, Krehan H, Cabaj A, Schopf A, Hönigsmann H. The oak processionary caterpillar as the cause of an epidemic airborne disease: survey and analysis. *Br J Dermatol* 2003; 149: 990–997.
161. Fuentes Aparicio V, de Barrio Fernandez M, Rubio Sotes M, Rodriguez Paredes A, Martinez Molero M I, Zapatero Remon L, Bartolome Zavala B. Non-occupational allergy caused by the pine processionary caterpillar (*Thaumetopoea pityocampa*). *Allergol Immunopathol (Madr)* 2004; 32: 69–75.
162. Spiegel W, Maier H, Maier M. A non-infectious airborne disease. *Lancet* 2004; 363: 1438.

163. Aparicio V F, Remon L Z, Molero M I, Lebreros E A, Mazuecos J M B, Zavala B B. Allergy to pine processionary caterpillar (*Thaumetopoea pityocampa*) in children. *Allergol Immunopathol (Madr)* 2006; 34: 59–63.
164. Gottschling S, Meyer S. An epidemic airborne disease caused by the oak processionary caterpillar. *Pediatr Dermatol* 2006; 23: 64–66.
165. Kanerva L, Estlander T, Petman L, Mäkinen-Kiljunen S. Occupational allergic contact urticaria to yucca (*Yucca aloifolia*), weeping fig (*Ficus benjamina*), and spathe flower (*Spathiphyllum wallisii*). *Allergy* 2001; 56: 1008–1011.
166. Munno G, Giannoccaro F, Riva G, Antonicelli L. Allergy to yucca. *Allergy* 2001; 56: 921–922.
167. Scala E, Giani M, Pirrotta L, Guerra E C, Cadoni S, Girardelli C R, De Pità O, Puddu P. Occupational generalised urticaria and allergic airborne asthma due to anisakis simplex. *Eur J Dermatol* 2001; 11: 249–250.
168. Acciai M C, Macchia D, Sertoli A, Calabretta V M, Vanni E, Resti A, Carnevali C. Occupational airborne sensitivity to *Anisakis simplex* in a fishmonger. *Annali Italiani di Dermatologia allergologica* 2005; 59: 118–120.
169. Uter W, Nohle M, Randerath B, Schwanitz H J. Occupational contact urticaria and late-phase bronchial asthma caused by compositae pollen in a florist. *Am J Contact Dermat* 2001; 12: 182–184.
170. Valks R, Conde-Salazar L, Barrantes O L. Occupational allergic contact urticaria and asthma from diphenylmethane-4,4'-diisocyanate. *Contact Dermatitis* 2003; 49: 166–167.
171. Rodríguez A, De Barrio M, De Frutos C, de Benito V, Baeza M L. Occupational allergy to fern. *Allergy* 2001; 56: 89–90.
172. Krakowiak A, Palczynski C. Contact urticaria and respiratory symptoms induced by indirect contact with goat dander: a case report on vet's wife exposure. *Contact Dermatitis* 2005; 52: 168–169.
173. Kanerva L, Vanhanen M. Occupational allergic contact urticaria and rhino-conjunctivitis from a detergent protease. *Contact Dermatitis* 2001; 45: 49–51.
174. Parisot L, Aparicio C, Moneret-Vautrin D A, Guerin L. Allergy to lupine flour. *Allergy* 2001; 56: 918–919.
175. Torresani C, Zendri E, Vescovi V, De Panfilis G. Contact urticaria syndrome from occupational triphenyl phosphite exposure. *Contact Dermatitis* 2003; 48: 237–238.
176. Llombart B, Revert M A, Sastre A, Durá M, Pelaez A, Jordá E. Occupational protein contact dermatitis from flour and cuttlefish. *Contact Dermatitis* 2003; 49: 268–269.
177. Álvarez-Cuesta C, Ortiz G G, Díaz E R, Barrios S B, Osuna C G, Aguado C R, Pineda F. Occupational asthma and IgE-mediated contact dermatitis from sapele wood. *Contact Dermatitis* 2004; 51: 88–98.
178. Tjiu J-W, Chu C-Y, Sun C-C. 1,2-Ethanedithiol-induced erythema multiforme-like contact dermatitis. *Acta Derm Venereol* 2004; 84: 393–396.
179. Roest M A B, Powell S. Erythema multiforme-like eruption due to Japanese lacquer tree (*Rhus verniciflua*). *Br J Dermatol* 2003; 149: 102.
180. Jovanović M, Mimica-Dukić N, Poljački M, Boža P. Erythema multiforme due to contact with weeds: a recurrence after patch testing. *Contact Dermatitis* 2003; 48: 17–25.

Address:
 A. Goossens
 Department of Dermatology
 University Hospital
 Catholic University Leuven
 B-3000 Leuven
 Belgium
 Tel: 00 32 16 337860
 Fax: 00 32 16 337012
 e-mail: an.goossens@uz.kuleuven.ac.be

This document is a scanned copy of a printed document. No warranty is given about the accuracy of the copy. Users should refer to the original published version of the material.